

**RH Nuttall Limited**

Great Brook Street  
Nechells Green  
Birmingham B7 4EN

# Material Specification Sheet

e: sales@rhnuttall.co.uk  
t: 0121 359 2484  
f: 0121 359 4439

# RHN 46T



[www.rhnuttall.co.uk](http://www.rhnuttall.co.uk)

## 2732 ZCA Double Sided Tissue Tape

| Technical Details                          | Typical Value   | Units  |
|--------------------------------------------|-----------------|--------|
| <b>Thickness</b>                           |                 |        |
| Adhesive + Carrier                         | 0.105           | mm     |
| Release Liner                              | 0.105           | mm     |
| <b>180° Peel Adhesion</b>                  |                 |        |
| Open Side                                  | 1300            | N/m    |
| Closed Side                                | 1300            | N/m    |
| <b>Polyester Loop Tack</b>                 |                 |        |
| Open Side                                  | 1100            | N/m    |
| Closed Side                                | 1100            | N/m    |
| <b>Liner Release</b>                       | 10              | N/m    |
| <b>Tensile Strength</b>                    | 1100            | N/m    |
| <b>Elongation at Break</b>                 | 4               | %      |
| <b>Service Temperature</b>                 | -40°C to + 60°C | °C     |
| <b>Recommended Application Temperature</b> | +5°C to +25°C   | °C     |
| <b>Shear Adhesion (1kg@23°C)</b>           | Greater than 50 | Hours  |
| <b>Shelf Life</b>                          | 12              | Months |
| <b>Test Methods</b>                        | BS7116          |        |
| <b>Grade</b>                               | General Purpose |        |

\*\*The information given above is based upon average values and is no way intended as a warranty. The purchaser is deemed responsible for determining the suitability of the product for any application. All data relating to suitable uses and description information concerning our products are compiled from research and are believed to be reliable but are provided for guidance purposes only. The Company holds no legal or contractual responsibility for information supplied\*\*

